


Guide Bushing

STRAIGHT AND FLANGE TYPE

CAD FILE


GPBW (Bronze with Graphite)
GPBF (FC250 with Graphite)



● Sliding Direction

Material
GPBW Bronze with Graphite (SO#50 SP2)
GPBF FC250 with Graphite


SEFW (Flange Type)



● Sliding Direction

Material : Bronze with Graphite (SO#50 SP2)

TGBW (Bronze with Graphite)
TGBF (FC250 with Graphite)



● Sliding Direction

Material
TGBW Bronze with Graphite (SO#50 SP2)
TGBF FC250 with Graphite

d H7	D Tolerance	L	L1	L2	Catalog No.	d	
25	$\begin{matrix} +0.021 \\ 0 \end{matrix}$	40	± 0.008	40		25	
30		50		50		10	30
35		60		55		15	35
40	$\begin{matrix} +0.025 \\ 0 \end{matrix}$	70	± 0.0095	60	GPBW GPBF	40	
50		80		75		15	50
60		100		90		20	60
80	$\begin{matrix} +0.030 \\ 0 \end{matrix}$	120	± 0.011	120		80	
100		140		150		25	100
120	$\begin{matrix} +0.035 \\ 0 \end{matrix}$	180	± 0.0125	180			120



Order

Catalog No. **GPBF**
d **50**

d H7	D	m6	D1	T	R	r	r1	Catalog No.	d	L
25	$\begin{matrix} +0.021 \\ 0 \end{matrix}$	35	$\begin{matrix} +0.025 \\ +0.009 \end{matrix}$	45	7	10			25	40
30		40		50			1		30	50
40	$\begin{matrix} +0.025 \\ 0 \end{matrix}$	55		65					40	70
50		65		75				SEFW	50	
60		75	$\begin{matrix} +0.030 \\ +0.011 \end{matrix}$	85					60	80
65	$\begin{matrix} +0.030 \\ 0 \end{matrix}$	80		90	10	20	2		65	120
80		100		110					80	100
			$\begin{matrix} +0.035 \\ +0.013 \end{matrix}$						80	140
100	$\begin{matrix} +0.035 \\ 0 \end{matrix}$	120		130					100	100
									100	140



Order

Catalog No. **SEFW**
d **50** - L **80**

d Tolerance	D Tolerance	L	L1	Catalog No.	d
30		50	± 0.008	TGBW TGBF	30
40	$\begin{matrix} +0.039 \\ 0 \end{matrix}$	60	± 0.0095		40
50		70			50



Order

Catalog No. **TGBW**
d **30**